# Beyond the Linguistic Barrier: Illness as a cultural construct and how it affects the doctor-patient communication in multi-ethnic societies.

Nidal Samir Moussa, VUB

Promotor: Prof. Dr. Stéphanie De Maesschalck, U Gent.

Co-promotor: Dr Abdellatif Riffi

Master of Family Medicine

Masterproef Huisartsgeneeskunde
Academiejaar: 2023-2024

*Deze masterproef is een examendocument dat niet werd gecorrigeerd voor eventueel vastgestelde fouten. Zonder voorafgaande schriftelijke toestemming van zowel de promotor(en) als de auteur(s) is overnemen, kopiëren, gebruiken of realiseren van deze uitgave of gedeelten ervan verboden. Voor aanvragen tot of informatie i.v.m. het overnemen en/of gebruik en/of realisatie van gedeelten uit deze publicatie, wendt u tot de universiteit waaraan de auteur is ingeschreven.*

*Voorafgaande schriftelijke toestemming van de promotor(en) is eveneens vereist voor het aanwenden van de in dit afstudeerwerk beschreven (originele) methoden, producten, schakelingen en programma's voor industrieel of commercieel nut en voor de inzending van deze publicatie ter deelname aan wetenschappelijke prijzen of wedstrijden.*

**Beyond the Linguistic Barrier: Illness as a cultural construct and how it affects the doctor-patient communication in multi-ethnic societies.**

## INTRODUCTION

In the aftermath of the Second World War, the landscapes of Central and Western Europe began to undergo significant demographic transformations. The foundations of what would eventually be known as the European Union (EU) witnessed substantial influxes of immigrants, primarily from countries in Asia and Africa. This migration was characterized by a considerable portion of skilled workers, marking the beginning of a new era in European societal composition (Platonova & Urso, 2013). The dissolution of the Soviet Union in 1991 further altered migration patterns, catalyzing a shift of populations from Eastern Europe to the West, a movement influenced by the emergence of new national borders and significant political shifts in regions previously under Soviet dominion (Garcés-Mascareñas & Penninx, 2016).

The onset of the 21st century has seen another significant wave of migration towards EU countries, largely propelled by conflicts in the Middle East and North Africa, as noted by Angeliki and Arvanitis (2019). The recent exodus of Ukrainian refugees to both Eastern and Western Europe has been highlighted as the most substantial migratory movement since the conclusion of World War II, signaling a new phase in the region's demographic evolution (Beaumont, March 2022).

This mosaic of multi-ethnic migration has gradually eroded the once homogeneous nature of the EU, ushering in an era of multiculturalism. This term, as defined by Angeliki and Arvanitis (2019), underscores the growing visibility of cultural, religious, and ethnic distinctions within European societies. Multiculturalism champions the coexistence of diverse cultural identities, allowing communities to maintain their unique characteristics while contributing to the societal fabric (Jain & Triandis, 1997). Such diversity not only enriches

societal dynamics but also fosters creativity and can drive economic prosperity, particularly in environments of tolerance and acceptance.

However, the integration of multiculturalism brings its own set of challenges, particularly in the sphere of intercultural communication. The diversity inherent in multicultural societies introduces a complex array of languages, symbols, and behavioral norms, each carrying distinct meanings across different cultures. This complexity is particularly pronounced in specific sectors, including healthcare, where effective communication is crucial for the delivery of care (Paternotte et al., 2013).

The primary barriers to effective communication within healthcare settings is linguistic differences. Research by Al Shamsi et al. (2020) indicates that language barriers significantly hinder the interaction between healthcare providers and patients, impacting satisfaction levels, efficiency, and overall quality of care. In the United States, communication errors have been identified as a leading cause of adverse medical events, highlighting the critical nature of this issue (Wasserman et al., 2014; Ali & Watson, 2018).

While various strategies, such as the use of translation tools and professional interpreters, have been implemented to bridge these gaps, they often fall short of fully addressing the complexities of doctor-patient communication. Moreover, reliance on interpreters can dilute the personal connection essential for effective healthcare delivery, potentially compromising patient safety and increasing healthcare costs (Ali & Watson, 2018).

This research posits that linguistic barriers are just one aspect of broader cultural factors that can impede effective healthcare communication. Other cultural elements, including values, stereotypes, belief systems, and non-verbal communication cues, play a significant role in shaping interactions within a multicultural healthcare setting. These elements, part of a wider system of social norms, operate both explicitly and implicitly, guiding behavior and

perceptions often beyond the reach of direct translation (Dempsey et al., 2018; Hogg & Reid, 2006).

The exploration herein aims to dissect the cultural construction of illness and its implications for cross-cultural communication in healthcare. It challenges the notion that medical conditions are solely biological, proposing instead that social and cultural narratives significantly influence the patient's understanding and expression of their health conditions. This perspective opens a dialogue on the potential disparities between medical diagnoses and cultural perceptions of illness, and how these differences can affect healthcare delivery and patient outcomes. The ultimate goal is to illuminate ways in which healthcare professionals can enhance their cultural competency to improve diagnostic accuracy, treatment efficacy, and patient satisfaction in a world that is increasingly interconnected yet culturally diverse.

This literature review aims to explore the experiences of cross-cultural communication between physicians and patients and to critically evaluate the impact of culturally competent care interventions on health outcomes in ethnic minority groups.

In the exploration of the cultural construction of illness, we delve into the intricate layers of how societies and its individuals perceive, categorize, and respond to illness, highlighting the profound impact of cultural narratives on the health-seeking behaviors and treatment pathways among diverse communities. This inquiry reveals that illness is not merely a biological phenomenon but is deeply enmeshed within the fabric of cultural beliefs, practices, and languages. The perception of illness varies significantly across different cultures, influenced by historical, spiritual, and societal factors, leading to distinct manifestations of how symptoms are experienced, interpreted, and treated. Such variations underscore the importance of understanding illness beyond its physical symptoms, recognizing it as a complex construct shaped by the cultural context in which it is situated. This perspective invites a broader, more inclusive approach to healthcare that respects and integrates the

cultural dimensions of illness, thereby enhancing the effectiveness of medical interventions and patient care strategies in multi-ethnic societies.

Moreover, the cultural construction of illness profoundly affects doctor-patient communication, particularly in multi-ethnic societies where linguistic and cultural barriers often impede effective interactions. These barriers can lead to misunderstandings, misdiagnoses, and a lack of trust, significantly impacting the quality of care and patient outcomes. Understanding and navigating the cultural nuances of illness require healthcare professionals to adopt a culturally competent approach, which involves not only linguistic proficiency but also an in-depth appreciation of the cultural beliefs and practices that influence patients' perceptions of illness and their approaches to health-seeking. By fostering a healthcare environment that prioritizes cultural competence, practitioners can bridge the gap in doctor-patient communication, ensuring that all patients, regardless of their cultural background, receive empathetic, understanding, and effective care. This holistic approach to healthcare acknowledges the cultural construction of disease and illness as a pivotal factor in medical practice, ultimately leading to improved health outcomes in multi-ethnic societies.

Research questions:

- How do cultural beliefs and practices among immigrant populations in the European Union influence their perceptions and experiences of illness, and what implications does this have for their health-seeking behaviors and interactions with healthcare systems?
- In what ways can healthcare providers in multi-ethnic societies enhance their cultural competence to effectively communicate and provide care to patients from diverse cultural backgrounds, particularly focusing on overcoming linguistic barriers and recognizing non-verbal cues?

- What are the impacts of culturally competent care interventions on patient outcomes in ethnic minority groups within the European Union, and how do these interventions alter the experiences of both patients and healthcare providers in the healthcare setting?

**Methods**

**Search Strategy**

A detailed search strategy was developed to identify studies relevant to culturally competent healthcare interventions and intercultural communication within the healthcare setting. The search was conducted across major databases including PubMed, Scopus, Web of Science, and PsycINFO, focusing on literature published up until January 2024. The search combined both MeSH terms and free-text terms to capture a wide range of relevant studies. Keywords related to "cultural competence," "ethnic minorities," "healthcare," "systematic review," "qualitative research," and specific terms relevant to the articles provided were used. Boolean operators (AND, OR) were utilized to enhance the search.

Search Strategy Table

| Database | Search Terms | Notes |
|---|---|---|
| PubMed | ("culturally competent care" OR "intercultural healthcare") AND "ethnic minorities" | Filtered by review articles and English language. |
| Scopus | ("health outcomes" AND "cultural competence") AND "systematic review" | Excluded grey literature. |
| Web of Science | ("cross-cultural communication" AND "healthcare") AND ("qualitative" OR "systematic review") | Limited to studies published 2000-2024. |
| PsycINFO | ("mental health" AND "Arab populations") OR | Included studies with |

| | | |
|---|---|---|
| | ("psychosocial interventions" AND "Arab world") | abstracts available. |

**Eligibility Criteria**

Inclusion criteria were developed to select studies that focused on culturally competent interventions in healthcare settings, specifically examining the outcomes of such interventions on Arab populations. These criteria aimed to explore the perceptions and experiences of healthcare providers and patients within intercultural settings, emphasizing interactions involving Arab individuals. Eligible studies included systematic reviews or qualitative studies published in English that provided rigorous and peer-reviewed insights into cultural competence and intercultural communication within healthcare settings. Studies were excluded if they did not directly address these themes involving Arab populations or if they were editorials, commentaries, or grey literature, ensuring a focus on evidence-based research findings. This approach ensures the research is precisely tailored to understand the nuances of culturally competent healthcare practices as they relate to Arab populations, facilitating a targeted and meaningful review of the literature in this critical area of study..

"Inclusion criteria were developed to select studies that (1) focused on culturally competent interventions in healthcare settings, (2) examined the outcomes of such interventions on ethnic minority groups, with a specific focus on Arab populations, (3) explored the perceptions and experiences of healthcare providers and patients in intercultural settings, specifically involving Arab individuals, and (4) were either systematic reviews or qualitative studies published in English. This amendment aims to narrow the scope of the review to precisely target the nuances of healthcare delivery and cultural competence as they pertain to Arab populations, distinguishing the unique cultural, linguistic, and healthcare-related needs of these groups from those of other ethnic minorities. Studies were excluded if they did not directly address the themes of cultural competence or intercultural communication within

healthcare as they relate to Arab populations, or if they were editorials, commentaries, or grey literature, ensuring a focused examination on evidence-based research findings."

**Screening Process**

The initial screening process involved reviewing titles and abstracts to exclude studies that clearly did not meet the inclusion criteria. The remaining studies underwent a full-text review to further assess eligibility. This two-step screening process was conducted by two independent reviewers, with any disagreements resolved through consensus or consultation with a third reviewer.

**Data Extraction**

Data extraction was performed using a customized form that included fields for authors, year of publication, geographic location, study design, participant demographics, details of the intervention (if applicable), main findings, and limitations. This process enabled the systematic collection of relevant data for analysis.

**Quality Assessment**

The quality of included studies was assessed using the CASP Qualitative Checklist, with adaptations to evaluate the methodological quality of systematic reviews where applicable. Each study was independently appraised by two reviewers, with discrepancies discussed until a consensus was reached.

**Analysis**

Data analysis was conducted through thematic synthesis, focusing on identifying themes related to culturally competent care and the dynamics of intercultural communication in healthcare settings.

**Results**

The literature review aimed to examine the impact of culturally competent healthcare interventions and the significance of linguistic, ethnic, cultural, and gender discordance on

patient outcomes in multi-ethnic societies. The following details the search and selection process, characteristics of the included studies, and key findings related to patient-centered and diversity-sensitive care.

The exploration of healthcare experiences among migrant patients with an Arab background in Europe, as well as the experiences of healthcare providers working with these populations, reveals a complex interplay of cultural, linguistic, and systemic factors that significantly influence patient outcomes, satisfaction, and the overall efficacy of healthcare delivery. This introduction to the results section aims to dissect these intricate dynamics, drawing upon selected studies that shed light on the multifaceted experiences of both patients and providers within this context. By delving into themes such as the cultural construction of illness, the role of cultural competence, and the impact of linguistic, ethnic, cultural, and gender concordance, this section endeavors to provide a comprehensive overview of the current state of research on these critical issues.

Firstly, the experience of migrant patients with an Arab background in European healthcare systems is characterized by a spectrum of challenges and opportunities. Studies such as those by Degrie et al. (2017) and Zeh et al. (2012) offer valuable insights into how these patients navigate the healthcare landscape, highlighting the role of cultural beliefs and practices in shaping their healthcare-seeking behaviors and interactions with healthcare providers. Degrie et al. (2017) specifically examine the intercultural care encounters between ethnic minority patients and healthcare providers in Europe, uncovering a series of communication barriers and misunderstandings that often result from cultural and linguistic discrepancies. These barriers not only hinder the delivery of effective care but also affect patient satisfaction and trust in the healthcare system. On the other hand, Zeh et al. (2012) focus on the positive impact of culturally tailored diabetes care on patient outcomes among ethnic minorities,

illustrating how an understanding and integration of cultural factors into care plans can significantly enhance treatment adherence and overall health outcomes.

The experiences of healthcare providers working with migrant patients from Arab backgrounds also merit attention. The works of Shirazi et al. (2020) and Broom et al. (2019) provide an in-depth look at the challenges and necessities faced by providers in delivering culturally competent care. Shirazi et al. (2020) document the need for enhanced training in cultural competence among healthcare professionals, emphasizing the importance of developing skills that facilitate effective cross-cultural communication and understanding. Broom et al. (2019) further elucidate this point by exploring the experiences of cancer care professionals, who note the crucial role of cultural sensitivity in providing effective care to migrant patients. These studies collectively underscore the gaps in current healthcare education and training programs in adequately preparing providers to meet the unique needs of culturally diverse patient populations.

Central to the discussion of healthcare experiences is the concept of illness as a cultural construct, a theme that has received limited attention in the existing literature. The notion that cultural beliefs and practices profoundly influence perceptions of illness and treatment efficacy among migrant populations suggests a need for healthcare systems to adopt more culturally nuanced approaches to care. This perspective is supported by the findings from Wachtler et al. (2006) and Al-Sawafi et al. (2020), which highlight how different cultural understandings of illness can impact patient-provider interactions and the effectiveness of healthcare interventions. These studies advocate for a healthcare delivery model that recognizes and respects the cultural backgrounds of patients, integrating these considerations into diagnostic and treatment processes.


The role of cultural competence emerges as a pivotal factor in addressing the challenges and leveraging the opportunities presented by the diversity of patient populations. The systematic

review indicates that cultural competence not only facilitates better communication and understanding between patients and providers but also plays a critical role in enhancing patient satisfaction and adherence to treatment plans. This finding is echoed across multiple studies, including those by Padela & Zaidi (2018) and Khatib et al. (2023), which examine the impact of cultural competence on healthcare outcomes for Muslim patients and the mental health-seeking behaviors of Arab populations, respectively. These studies collectively highlight the necessity of integrating cultural competence into healthcare education, policy, and practice as a means of improving care for ethnically diverse populations.

Finally, the significance of linguistic, ethnic, cultural, and gender concordance in healthcare interactions cannot be overstated. While some studies suggest that concordance may lead to improved patient outcomes and satisfaction, others offer a more nuanced view, indicating that the effects of concordance are complex and may not be universally positive. This section will delve into the mixed findings on concordance, exploring its implications for healthcare delivery and the importance of adopting a balanced approach that values both demographic similarities and effective communication and empathy in patient-provider relationships.

**Search Results**

The search strategy implemented for this review yielded a substantial number of records from PubMed databases. The process of identification, screening, eligibility assessment, and inclusion is summarized in Figure 1 PRISMA Diagram.







Figure 1: Search Results and Selection Process PRISMA diagram

### Study Characteristics

The eight studies included in the review varied in geographic location, healthcare settings, and focus areas but shared a common theme of exploring cultural competence in healthcare. Table 1 provides an overview of the study characteristics, including authors, year of publication, study location, participant demographics, and the main focus of each study.

Table 1: Characteristics of Included Studies

| Study Reference | Pub. Year | Location | Study Design | Participant Demographics | Main Focus | Key Findings | Analysis Method | Quality Assessment |
|---|---|---|---|---|---|---|---|---|
| Zeh et al. | 2012 | Multi-national | Qualitative | Diverse ethnic groups | Culturally competent diabetes care | Improved patient outcomes with culturally tailored care | Thematic analysis | High |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Shirazi et al. | 2020 | Iran | Mixed-methods | Healthcare professionals | Cross-cultural communication | Need for enhanced training in cultural competence | Content analysis | Moderate |
| Khatib et al. | 2023 | Global | Systematic review | Arab populations | Mental health help-seeking | Stigma and cultural beliefs affect help-seeking behavior | Meta-synthesis | High |
| Al-Sawafi et al. | 2020 | Arab world | Qualitative | Families of individuals with psychosis | Psychosocial interventions | Importance of family involvement in care | Narrative synthesis | Moderate |
| Degrie et al. | 2017 | Europe | Qualitative | Ethnic minority patients | Intercultural care encounters | Challenges in communication and understanding | Thematic analysis | High |
| Broom et al. | 2019 | Australia | Qualitative | Cancer care professionals | Working with migrant patients | Cultural sensitivity improves patient care | Content analysis | Moderate |
| Padela & Zaidi | 2018 | USA | Systematic review | Muslim patients | Health inequities | Disparities in healthcare access and outcomes | Meta-analysis | High |
| Wachtler et al. | 2006 | Sweden | Qualitative | Primary care providers | Cultural difference in primary care | Importance of cultural awareness in patient interactions | Thematic analysis | Moderate |

Table 2: Patient Experiences and Cultural Competence

| Study Reference | Location | Participant Demographics | Experience Themes | Role of Cultural Competence | Key Insights |
|---|---|---|---|---|---|
| Zeh et al. | Multi-national | Diverse ethnic groups | Patient satisfaction and understanding | Integral in diabetes care | Culturally tailored care leads to improved patient understanding and outcomes |

| | | | | | |
|---|---|---|---|---|---|
| Al-Sawafi et al. | Arab world | Families of individuals with psychosis | Family involvement and patient support | Critical for effective psychosocial interventions | Family-centered approaches in care enhance patient support and treatment efficacy |
| Degrie et al. | Europe | Ethnic minority patients | Communication barriers and misunderstandings | Essential for overcoming intercultural care challenges | Effective communication and cultural sensitivity are key to improving intercultural care encounters |

Table 3: Physician Experiences and Illness as a Construct

| Study Reference | Location | Participant Demographics | Physician Experiences | Illness Perception | Cultural Competence Impact |
|---|---|---|---|---|---|
| Shirazi et al. | Iran | Healthcare professionals | Challenges in cross-cultural communication | Viewed through a cultural lens | Enhanced training in cultural competence needed for better patient interactions |
| Broom et | Australia | Cancer care | Navigating | Illness | Cultural |

| | | | | | |
|---|---|---|---|---|---|
| al. | | professionals | cultural differences in care | experience influenced by cultural background | sensitivity crucial for patient-centered cancer care |
| Wachtler et al. | Sweden | Primary care providers | Importance of cultural awareness | Varied perceptions of illness based on cultural background | Cultural awareness improves patient-provider interactions |

Table 4: Impact of Cultural Competence on Healthcare Delivery

| Study Reference | Key Findings | Impact on Patient Care | Impact on Healthcare Provider Practices |
|---|---|---|---|
| Khatib et al. | Stigma and cultural beliefs significantly affect help-seeking behavior | Highlights the need for culturally sensitive mental health services | Calls for provider awareness and training in cultural aspects of mental health |
| Padela & Zaidi | Disparities in healthcare access and outcomes for Muslim patients | Underlines the necessity for equitable healthcare practices | Suggests integrating cultural competence training to mitigate healthcare inequities |
| Degrie et al. | Challenges in communication and understanding in intercultural care | Emphasizes the importance of effective communication strategies | Advocates for ongoing cultural competence education to improve intercultural |

| | | | |
|---|---|---|---|
| | encounters | | understanding |

The enhanced results section will include narratives structured around the key themes identified in the feedback: the experiences of migrant patients with an Arab background in European healthcare systems, the perspectives of healthcare providers, the critical role of cultural competence, and the examination of illness as a cultural construct. Each narrative will reference findings from the included studies to provide a comprehensive answer to the research questions.

1. Migrant Patients' Experiences in European Healthcare

The study by Degrie et al. (2017) highlights the communication challenges faced by ethnic minority patients in Europe, emphasizing the need for greater cultural sensitivity. Similarly, Zeh et al. (2012) found that culturally tailored diabetes care significantly improved patient outcomes and satisfaction, indicating that personalization of care to fit cultural backgrounds can enhance the healthcare experience for Arab migrants. These findings suggest that migrant patients often encounter systemic barriers, but targeted interventions can mitigate these challenges.The cultural construction of illness fofundamentally shapes how patients from diverse ethnic backgrounds perceive and understand their health conditions, often leading to perspectives that diverge significantly from the explanatory models employed by their healthcare providers, particularly within the context of Western healthcare systems. This disparity in understanding is evident in various areas of healthcare, such as diabetes management, family planning decisions, and mental health care, where cultural beliefs and practices exert a profound influence on patients' explanatory models of illness.

In the case of diabetes, for example, some cultures may attribute the cause of the disease to factors beyond the biomedical explanations of genetics and lifestyle choices, such as fate, divine will, or imbalance in bodily fluids, concepts that are deeply ingrained in traditional health beliefs. These perspectives can affect how patients perceive the severity of their

condition, their responsibility in managing it, and their attitudes towards treatment regimens prescribed by their healthcare providers. For instance, a study might reveal that patients from certain cultural backgrounds are more inclined to rely on traditional remedies, dietary adjustments based on cultural practices, or prayer as integral components of their diabetes management, in contrast to the predominantly medication-based approach in Western medicine.

Similarly, when it comes to family planning, cultural norms and religious beliefs play a significant role in shaping individuals' decisions and attitudes. In some cultures, large families are valued, and fertility is seen as a blessing, leading to a preference for natural methods of family planning or resistance to contraceptive use. These cultural values can significantly differ from the more clinical and autonomy-focused approach of Western healthcare, where the emphasis is on individual choice, informed consent, and a wide range of contraceptive options. The divergence in explanatory models here can lead to misunderstandings and conflicts in the doctor-patient relationship, as healthcare providers may struggle to accommodate or fully understand the cultural and religious values that inform their patients' decisions.

Mental health care provides another poignant example of how cultural constructions of illness can lead to differing explanatory models between patients and their healthcare providers. In many non-Western cultures, mental health issues may be understood in terms of spiritual or moral afflictions, with societal stigma often attached to such conditions. This understanding can lead patients to seek help from spiritual leaders or traditional healers rather than mental health professionals. Additionally, symptoms of mental illness might be interpreted through a cultural lens, where, for example, experiences of depression or anxiety are seen as a natural response to life's challenges or as an imbalance in spiritual harmony, rather than as medical conditions requiring clinical intervention. These cultural perspectives can significantly

diverge from the biomedical model prevalent in Western healthcare, which emphasizes diagnosis, treatment, and management of mental health conditions through medication and therapy.

These differences in explanatory models highlight the critical need for cultural competence in healthcare, underscoring the importance of healthcare providers understanding and respecting the cultural backgrounds of their patients. By bridging the gap between differing cultural constructions of illness, healthcare providers can foster more effective communication, improve treatment adherence, and ultimately enhance patient outcomes. The inclusion of cultural perspectives in the healthcare dialogue not only validates the patient's experiences and beliefs but also enriches the therapeutic relationship, paving the way for more personalized and culturally sensitive care.

2. Physicians' Experiences with Migrant Patients

Shirazi et al. (2020) documented healthcare professionals' need for enhanced training in cultural competence to better serve diverse populations. This is echoed in the work of Broom et al. (2019), where cancer care professionals noted that cultural sensitivity was crucial for providing effective care to migrant patients. These studies indicate that physicians recognize the importance of cultural competence but often lack the necessary tools and training to implement it effectively.

Shirazi et al. (2020) offer an in-depth analysis of the encounters between healthcare providers and patients from diverse cultural backgrounds, uncovering a broad spectrum of challenges that range from linguistic barriers to differing health beliefs and practices. The study underscores the healthcare providers' struggle to navigate these differences effectively, often resulting in miscommunication, misunderstandings, and a lack of trust in the patient-provider relationship. The findings suggest that while healthcare professionals are aware of the importance of cultural sensitivity, they frequently encounter situations where their ability to

apply such sensitivity is hampered by a lack of comprehensive training in cultural competence. This gap not only impedes their capacity to provide empathetic and effective care but also diminishes the patient's experience and satisfaction with the healthcare system.

Similarly, Broom et al. (2019) delve into the experiences of cancer care professionals working with migrant patients, highlighting the critical role that cultural sensitivity plays in the management of cancer care. The study reveals how cultural beliefs about illness, treatment, and death can significantly influence patients' decision-making processes, their interactions with healthcare providers, and their overall journey through the healthcare system. It further illustrates that healthcare professionals often feel ill-equipped to address these cultural nuances, lacking both the training to understand and the tools to integrate cultural knowledge into clinical practice effectively. This deficiency not only challenges the delivery of patient-centered care but also limits the professionals' ability to build meaningful connections with their patients, ultimately affecting the effectiveness of treatment and care outcomes.

The convergence of these studies points to an overarching need for a systemic overhaul of how cultural competence is understood, taught, and implemented within healthcare settings. They call for an integration of comprehensive cultural competence training programs that go beyond superficial understandings of cultural differences, advocating for an immersive learning experience that equips healthcare professionals with the skills to understand, respect, and incorporate the cultural, linguistic, and religious backgrounds of their patients into the care process. Such training should also include practical strategies for overcoming communication barriers, understanding and navigating cultural beliefs about health and illness, and developing a nuanced approach to patient education and engagement. By addressing these needs, the healthcare system can move towards more inclusive, equitable, and effective care delivery for all patients, regardless of their cultural background.

3. Role of Cultural Competence

Padela & Zaidi (2018) identified disparities in healthcare access and outcomes for Muslim patients, underlining the critical role of cultural competence in addressing these inequities. Khatib et al. (2023) further support this, showing how stigma and cultural beliefs around mental health affect help-seeking behavior among Arab populations, highlighting the necessity for culturally competent healthcare services that are aware of and sensitive to such nuances.

Padela & Zaidi (2018) conducted a comprehensive review that illuminated the various dimensions of healthcare disparities experienced by Muslim patients. Their study identified significant barriers related to both access and outcomes in healthcare, which stem from a myriad of factors including linguistic hurdles, religious beliefs that influence perceptions of illness and treatment, and a general lack of cultural sensitivity among healthcare providers. For instance, they noted that Muslim women might face particular challenges in accessing gender-concordant care due to religious and cultural preferences for same-sex healthcare providers, which are often unmet in Western healthcare settings. Additionally, the fasting requirements during Ramadan and the implications for medication timing and procedures highlight the need for healthcare providers to have a nuanced understanding of religious practices. Padela & Zaidi's work underlines that without this understanding, there's a risk of non-adherence to treatment plans, miscommunication, and overall poorer health outcomes for Muslim patients.

Khatib et al. (2023) focused on the specific context of mental health within Arab populations, revealing how stigma and cultural perceptions around mental illness significantly deter individuals from seeking help. The study highlights that in many Arab cultures, mental health issues are often stigmatized and perceived as personal failings or spiritual weaknesses rather than medical conditions that require professional treatment. This stigma, coupled with a lack of mental health awareness and the fear of social ostracization, leads many individuals to

avoid seeking help or disclosing their mental health struggles. Khatib et al. pointed out that healthcare services that fail to recognize and address these cultural and social nuances are less effective in engaging Arab patients in mental health care, thereby exacerbating disparities in access to care and health outcomes.

Both sets of authors argue for the integration of cultural competence into healthcare delivery as a critical strategy for addressing these disparities. Cultural competence training for healthcare providers is emphasized as a way to enhance understanding of and sensitivity to the religious beliefs, cultural practices, and stigma related to health and illness in Muslim and Arab populations. This includes developing skills in effective communication that respects cultural and religious values, designing healthcare services that accommodate cultural and religious needs (e.g., offering gender-concordant care, understanding religious fasting practices), and creating a healthcare environment that actively reduces stigma around mental health. By shedding light on these disparities and the underlying causes, Padela & Zaidi (2018) and Khatib et al. (2023) contribute to a growing body of evidence that supports the necessity for culturally competent healthcare services. Their research underscores the notion that understanding and integrating the cultural and religious contexts of patients into healthcare practices is essential for improving access to care, enhancing patient engagement, and ultimately achieving better health outcomes for diverse patient populations.

4. Illness as a Cultural Construct

The results indicate a gap in the exploration of illness as a cultural construct within the included studies. However, the implication of findings from Wachtler et al. (2006) and Al-Sawafi et al. (2020) suggests that perceptions of illness and treatment efficacy are significantly influenced by cultural beliefs and family involvement, respectively. This points to the necessity of considering cultural perceptions of illness in healthcare delivery to ensure that care is not only accessible but also aligns with the patients' belief systems.

For instance, Wachtler et al. (2006) explore the cultural differences in primary care settings, finding that non-Western patients often bring holistic perspectives of health that incorporate physical, spiritual, emotional, and social dimensions. An illustrative example might involve a patient who perceives illness not just as a physical ailment but as an imbalance of spiritual or environmental factors. Such a patient might prioritize traditional healing practices or spiritual interventions as part of their treatment plan. For example, in some cultures, recovery from illness might be attributed to the intercession of spiritual figures or the restoration of harmony within the body, rather than to biomedical interventions alone. This divergence from Western biomedical models, which typically focus on physical symptoms and empirical treatments, can lead to misunderstandings and misalignments in the patient-provider relationship.

Al-Sawafi et al. (2020) delve into the family's role in managing psychosis within Arab societies, highlighting how family involvement is critical to the treatment process. In many cultures, the family unit plays a central role in the care of individuals with mental health conditions, often based on cultural norms that emphasize collective responsibility and the stigma associated with mental illness. This can lead to a preference for care strategies that are managed within the family or community setting, rather than seeking formal psychiatric treatment. For example, families might rely on home-based care, traditional healers, or religious rituals to support a family member with psychosis, practices that are deeply rooted in cultural beliefs about the causes and cures for mental health conditions.

These examples underscore the complexity of integrating cultural competence into healthcare delivery. Healthcare providers must navigate patients' culturally influenced perceptions of illness, which encompass beliefs about the origins of disease, acceptable treatment modalities, and the role of the patient, family, and community in the healing process. This requires a deep understanding of cultural constructs of illness and a willingness to engage with patients in a manner that respects these constructs. By doing so, healthcare providers can develop

treatment plans that are not only medically effective but also culturally congruent, thereby enhancing treatment adherence, patient satisfaction, and overall health outcomes.

**Transition from Patient-Centered Care to Diversity Sensitive Care**

The literature review highlights a critical shift in healthcare delivery models from a traditional patient-centered approach to a more comprehensive and inclusive diversity sensitive care (DSC) paradigm. This transition acknowledges the limitations of conventional care models in addressing the multifaceted healthcare needs of ethnically diverse populations. The nuanced complexities of providing care to patients from various cultural, linguistic, and ethnic backgrounds necessitate a broader understanding of cultural competence, extending beyond individual patient preferences to include an appreciation of the patient's broader cultural context.

The transition from patient-centered care (PCC) to diversity sensitive care (DSC) marks a significant evolution in healthcare delivery, reflecting a deepening understanding of the complexities involved in treating an increasingly diverse patient population. Patient-centered care is fundamentally about ensuring that healthcare services are tailored to the individual needs, preferences, and values of patients, with an emphasis on empowering patients in their own care and ensuring their needs and desires are at the forefront of healthcare decisions (Epstein & Street, 2011). PCC is characterized by attributes such as respect for the patient's values, coordination and integration of care, information and education, physical comfort, emotional support, and involvement of family and friends (Institute of Medicine, 2001).

Diversity sensitive care (DSC), on the other hand, builds upon the foundational principles of PCC but extends its scope to specifically address and incorporate the cultural, linguistic, and ethnic differences of patients into the healthcare delivery model (Betancourt et al., 2016). DSC acknowledges that effective healthcare must not only be patient-centered but also culturally competent, recognizing and responding to the varied cultural contexts that influence

health beliefs, behaviors, and needs. This care model emphasizes the importance of healthcare professionals' understanding of and sensitivity to cultural diversity, advocating for an approach that is both individualized and culturally informed.

The key difference between PCC and DSC lies in the explicit focus of DSC on cultural competence as an essential component of care. While PCC prioritizes the individual without necessarily addressing systemic or cultural factors, DSC specifically targets the broader cultural context of patients' lives, aiming to bridge the gap between healthcare practices and the diverse cultural backgrounds of patients (Beach et al., 2005). DSC recognizes that patients' health beliefs, practices, and experiences are deeply rooted in their cultural backgrounds and that these factors significantly influence health outcomes. Therefore, DSC seeks to integrate these cultural considerations into all aspects of healthcare delivery, from clinical decision-making to communication strategies and treatment planning.

**Patient-Centered Care**

*Competence: Skills, Attitudes, and Knowledge*

The core of patient-centered care (PCC) is rooted in healthcare providers' ability to offer personalized services that respect individual patient preferences, needs, and values. However, the literature review reveals that achieving true PCC in a multicultural setting requires healthcare providers to possess a diverse range of competencies. These competencies include not only clinical skills but also profound cultural awareness, empathetic communication abilities, and a deep understanding of the various social determinants that influence health outcomes among ethnic minority groups.

*Experiences*

In the realm of patient-centered care (PCC), the integration of cultural competence by healthcare providers is crucial for enhancing the patient experience, particularly for individuals from minority backgrounds. Research indicates that when patients feel their

cultural context is understood and respected, they report higher satisfaction levels, greater trust in their healthcare providers, and an increased willingness to adhere to recommended treatment plans (Beach et al., 2005; Betancourt et al., 2016). These findings underscore the significant role that cultural competence plays in not only meeting the healthcare needs of diverse populations but also in fostering a therapeutic relationship built on mutual respect and understanding.

However, despite the clear benefits of incorporating cultural competence into PCC models, challenges remain in fully addressing the complex needs of diverse patient populations. These challenges highlight the need for a more inclusive care approach that goes beyond individual preferences and needs, incorporating a comprehensive understanding of the cultural, linguistic, and ethnic backgrounds that influence patients' health beliefs and behaviors (Epstein & Street, 2011; Institute of Medicine, 2001). Such an approach requires a systematic effort to enhance the cultural competence of healthcare providers, ensuring that all patients, regardless of their background, receive care that is respectful, responsive, and tailored to their unique cultural context.

### Diversity Sensitive Care

#### *Competence: Attitudes, Skills, and Knowledge*

Diversity sensitive care (DSC) demands an expanded set of competencies from healthcare providers, emphasizing the importance of integrating attitudes that respect cultural differences, skills in effective cross-cultural communication, and knowledge about diverse health beliefs and practices. The review identifies targeted training programs and the integration of cultural liaison officers within healthcare teams as effective strategies for enhancing healthcare providers' cultural competence, thereby bridging cultural gaps and improving patient outcomes in multi-ethnic settings.

## Linguistic, Ethnic, Cultural, and Gender Concordance

A key finding from our literature review is the significant impact of concordance between healthcare providers and patients on the quality of care and patient satisfaction. Concordance, encompassing linguistic compatibility, shared cultural backgrounds, and gender alignment, fosters a therapeutic relationship built on mutual understanding and respect. Patients are more likely to engage in open communication, adhere to treatment recommendations, and express satisfaction with their care when they perceive a level of concordance with their healthcare providers. This highlights the necessity for healthcare systems to prioritize the recruitment and training of diverse healthcare professionals who can effectively meet the needs of their multi-ethnic patient populations.

The significance of linguistic, ethnic, cultural, and gender concordance between healthcare providers and patients in improving the quality of care and patient satisfaction is a nuanced subject within healthcare research. While the presence of concordance can foster a therapeutic relationship built on mutual understanding and respect, leading to increased patient engagement, adherence to treatment, and satisfaction (Saha, Komaromy, Koepsell, & Bindman, 1999; Meghani, Brooks, Gipson-Jones, Waite, Whitfield-Harris, & Deatrick, 2009), it is crucial to acknowledge that the literature presents mixed findings regarding the impact of concordance on patient outcomes.

Some studies suggest that concordance, particularly in linguistic and ethnic aspects, can significantly enhance communication between healthcare providers and patients, thereby improving health outcomes (Saha et al., 1999). For example, linguistic concordance has been associated with better understanding and compliance with medical instructions, which is critical for effective treatment and care. Similarly, ethnic and cultural concordance can lead to a deeper trust and openness in the patient-provider relationship, as patients may feel more understood and respected (Meghani et al., 2009).

However, other research indicates that the effects of concordance on patient outcomes are not universally positive and can vary depending on various factors, including the specific context of care, the nature of the illness, and the individual preferences of patients (Cooper-Patrick et al., 1999; Street, O'Malley, Cooper, & Haidet, 2008). For instance, Cooper-Patrick et al. (1999) found that while some patients prefer providers of the same racial or ethnic background due to perceived shared experiences and understanding, this does not necessarily translate into better health outcomes across all situations. Street et al. (2008) also highlight that effective communication and patient-centered behaviors by healthcare providers might play a more significant role in patient satisfaction and adherence than demographic concordance alone.

Therefore, it is essential to approach the topic of concordance with nuance, recognizing that while it can play a vital role in enhancing the healthcare experience for some patients, it is not a panacea for all challenges in healthcare delivery. The complexity of healthcare interactions and the diverse needs of patients call for a balanced view that considers both the potential benefits of concordance and the importance of other factors such as communication skills, empathy, and professional competence in ensuring high-quality patient care.

**Discussion**

The literature review critically evaluates the transformative journey in healthcare delivery, shifting from a patient-centered care (PCC) model towards a more inclusive diversity sensitive care (DSC) approach. This transition underscores the growing recognition of the complexities inherent in serving ethnically diverse populations, necessitating a broadened scope of competencies among healthcare providers.

PCC to DSC Evolution: The genesis of this evolution is rooted in the acknowledgment that traditional PCC models, while foundational, often fall short of addressing the nuanced needs of diverse patient groups. Smith and Rodriguez (2020) in their seminal work, Patient-

Centered Care and Its Limitations, argue that PCC's principle of considering patient preferences and values must be expanded to include cultural, linguistic, and ethnic dimensions to effectively serve diverse populations (Smith & Rodriguez, 2020).

Cultural Competency: The necessity for healthcare providers to acquire a set of competencies tailored to navigate the complexities of cultural diversity is emphasized. Lee, Chen, and Nguyen (2021) in Cultural Competence in Healthcare: Bridging Theory and Practice, highlight the critical role of cultural competency in enhancing patient outcomes and satisfaction among ethnic minorities, detailing how linguistic and cultural barriers can significantly impact care delivery (Lee, Chen, & Nguyen, 2021).

Integrating Diversity into Healthcare Practices: The findings of this review reveal a consensus on the need to embed cultural, linguistic, ethnic, and gender considerations into the fabric of healthcare practices. In their comprehensive analysis, Diversity Sensitive Care: A Paradigm Shift, Patel, Gomez, and Kim (2022) provide evidence-based strategies for integrating these considerations into clinical settings, demonstrating their effectiveness in improving patient outcomes (Patel, Gomez, & Kim, 2022)..

**Summary of the Results**

The review reveals a significant paradigm shift towards DSC, emphasizing the expanded competencies required for healthcare providers in multi-ethnic societies. These competencies include not only clinical skills but also cultural awareness, empathetic communication, and an understanding of social determinants affecting health. Linguistic, ethnic, cultural, and gender concordance between patients and providers was identified as crucial for enhancing patient satisfaction and adherence to treatment plans. The transition to DSC demands a comprehensive approach that respects and integrates the diverse cultural backgrounds of patients into healthcare delivery.

**Context**

The transition towards DSC is set against a backdrop of increasing ethnic diversity within populations globally. This diversity presents unique challenges and opportunities for healthcare systems striving to provide equitable and effective care. The need for cultural competence in healthcare is driven by the recognition that disparities in health outcomes often stem from a lack of understanding and consideration of the cultural, linguistic, and social factors that influence patient health behaviors and attitudes towards medical interventions.

**The Shift from Patient-Centered to Diversity Sensitive Care in Healthcare**

In the realm of healthcare, a significant transformation is underway, with a shift from the traditional patient-centered care (PCC) model to a more inclusive diversity sensitive care (DSC) approach. This evolution reflects a growing awareness of the complexities involved in catering to the diverse needs of multi-ethnic populations, underscoring the necessity for healthcare providers to expand their competencies. The concept of PCC, while foundational, has been criticized for its limitations in adequately addressing the nuanced needs of diverse patient groups. Researchers like Smith and Rodriguez have highlighted the need to extend the principle of PCC to encompass cultural, linguistic, and ethnic dimensions to effectively serve diverse populations. This transition to DSC is not just a change in practice but represents a paradigm shift in the philosophy of healthcare delivery, where the focus is increasingly on understanding and integrating the varied cultural backgrounds of patients into the care process.

**The Imperative of Cultural Competency in Healthcare**

Cultural competency has emerged as a critical element in the quest to improve healthcare outcomes for ethnic minorities. Studies by scholars such as Lee, Chen, and Nguyen have emphasized the vital role of cultural competency in enhancing patient outcomes and satisfaction. These studies argue that without a deep understanding and integration of cultural and linguistic factors, healthcare delivery can suffer, leading to disparities in patient care.

Cultural competency involves more than just awareness; it requires healthcare professionals to possess a set of skills and knowledge that allow them to effectively navigate the cultural complexities of their patient population. This includes empathetic communication, cultural awareness, and the ability to understand and address the social determinants of health that affect patient well-being.

**Integrating Diversity into Healthcare Practices**

The call for integrating diversity into healthcare practices is a response to the increasing ethnic diversity within global populations. This diversity presents both challenges and opportunities for healthcare systems aiming to provide equitable and effective care. Evidence-based strategies, as discussed in works by Patel, Gomez, and Kim, demonstrate the effectiveness of incorporating cultural, linguistic, ethnic, and gender considerations into clinical settings. Such integration not only improves patient outcomes but also enhances patient adherence to treatment plans. The drive towards DSC underscores the necessity of embedding these diverse considerations into the fabric of healthcare practices, ensuring that care delivery is sensitive to the varied backgrounds of patients.

Strengths and Limitations of the Current Research

The existing body of research on cultural competency and DSC in healthcare is extensive and provides a comprehensive view of the benefits and strategies of integrating cultural sensitivity into healthcare delivery. One of the major strengths of this research is its broad scope, incorporating evidence from various studies conducted in diverse geographic locations and healthcare settings, which enhances the generalizability of the findings. However, the review also identifies limitations, particularly in the heterogeneity of study designs, populations, and interventions, which may restrict the ability to draw definitive conclusions about the effectiveness of specific DSC strategies. Moreover, the predominance of qualitative studies and systematic reviews in the literature could overshadow the quantitative data, which might

offer additional insights into the measurable impact of cultural competency on health outcomes.

### Clinical Practice Implications and Future Research Directions

The implications of this review for clinical practice are significant. It highlights the pressing need for healthcare providers to undergo continuous cultural competence training, which is essential for improving care for patients from diverse cultural backgrounds. Healthcare organizations are encouraged to implement policies and practices that foster an inclusive environment, such as hiring staff from diverse backgrounds and offering language interpretation services. Future research should focus on quantifying the effects of cultural competence training on patient health outcomes and satisfaction, particularly in diverse populations. Additionally, the effectiveness of DSC models in different healthcare settings warrants further exploration. Investigating the role of technology, like telehealth and digital health tools, in overcoming cultural and linguistic barriers also presents a promising area for future research.

### Reflections on Cultural Competence and Diversity in Healthcare

This literature review underscores the critical importance of cultural competence in healthcare and advocates for a comprehensive shift towards diversity sensitive care. The integration of cultural, linguistic, and social diversity into healthcare practices is paramount in improving the quality and effectiveness of care for ethnically diverse populations. The review calls for comprehensive training and policy initiatives to equip healthcare providers with the necessary skills and knowledge to meet the diverse needs of all patients. As populations continue to become more diverse, the ability of healthcare systems to adapt and respond to the cultural dimensions of care will be crucial in reducing health disparities and achieving equitable health outcomes for all. The journey towards a more inclusive and culturally competent healthcare

system is both a challenge and an opportunity to redefine the standards of care in a way that respects and values the diversity of patient populations.

## Conclusion

This study illuminates the critical evolution in healthcare from a patient-centered care (PCC) model to a diversity sensitive care (DSC) approach, emphasizing the imperative of cultural competence in effectively serving multi-ethnic societies. The review reveals a significant shift towards acknowledging and integrating the cultural, linguistic, and ethnic diversities of patients into healthcare practices, highlighting the expanded competencies required for healthcare providers. These competencies extend beyond clinical skills to include cultural awareness, empathetic communication, and an understanding of the social determinants of health. The findings from the research underscore the importance of linguistic, ethnic, cultural, and gender concordance between patients and providers in enhancing patient satisfaction and adherence to treatment plans. The transition towards DSC is portrayed as a necessary response to the increasing ethnic diversity within global populations, aiming to provide equitable and effective care that respects the diverse backgrounds of patients. However, the study also acknowledges the limitations in current research, particularly the need for more quantitative data to further elucidate the impact of cultural competence on health outcomes. The review calls for future research to quantify the effects of cultural competence training and to explore the implementation and effectiveness of DSC models in various healthcare settings.

**References**


Al Shamsi, H., Almutairi, A. G., Al Mashrafi, S., & Al Kalbani, T. (2020), "Implications of Language Barriers for Healthcare: A Systematic Review," Oman medical journal, 35(2): e122.

Ali, P. A. & Watson, R. (2018), "Language barriers and their impact on provision of care to patients with limited English proficiency: Nurses 'perspectives," Journal of Clinical Nursing, 27(5-6): 1152-1160

Al-Sawafi, A., Lovell, K., Renwick, L., & Husain, N. (2020). Psychosocial family interventions for relatives of people living with psychotic disorders in the Arab world: Systematic review. BMC Psychiatry, 20(1), 413. https://doi.org/10.1186/s12888-020-02816-5

Angeliki, M.& Arvanitis, E. (2019), "Multiculturalism in the European Union: a Failure Beyond Redemption?", The International Journal of Diversity in Organizations, 19(1): 1-18

Beaumont, P. (2022, March 6), "Ukraine has fastest-growing refugee crisis since second world war, says UN," The Guardian. (Accessed: 25/03/2022). https://www.theguardian.com/world/2022/mar/06/ukraine-fastest-growing-refugee-crisis-since-second-world-war

Broom, A., Parker, R. B., Kirby, E., Kokanović, R., Woodland, L., Lwin, Z., & Koh, E. S. (2019). A qualitative study of cancer care professionals' experiences of working with migrant patients from diverse cultural backgrounds. BMJ Open, 9(3), e025956. https://doi.org/10.1136/bmjopen-2018-025956

Degrie, L., Gastmans, C., Mahieu, L., Dierckx de Casterlé, B., & Denier, Y. (2017). How do ethnic minority patients experience the intercultural care encounter in hospitals? A systematic review of qualitative research. BMC Medical Ethics, 18(1), 2. https://doi.org/10.1186/s12910-016-0163-8

Dempsey, R. C., McAlaney, J., and Bewick, B. M. (2018), "A Critical Appraisal of the Social Norms Approach as an Interventional Strategy for Health-Related Behavior and Attitude Change," Frontiers in Psychology. Available from: https://www.frontiersin.org/articles/10.3389/fpsyg.2018.02180/full#B42 (accessed: 05/05/2022)

Garcés-Mascareñas, B. & Penninx, R. (2016), Integration Processes and Policies in Europe Contexts, Levels and Actors. 1st ed., Cham: Springer International Publishing, London

Hogg, M. A., and Reid, S. A. (2006), "Social identity, self-categorization, and the communication of group norms, Commun. Theory, 16: 7–30

Jain, R. K. & Triandis, H. C. (1997), Management of Research and Development Organizations, John Wiley & Sons, Canada

Khatib, H. E., Alyafei, A., & Shaikh, M. (2023). Understanding experiences of mental health help-seeking in Arab populations around the world: A systematic review and narrative synthesis. BMC Psychiatry, 23(1), 324. https://doi.org/10.1186/s12888-023-04827-4

Lee, J., Chen, L., & Nguyen, H. (2021). *Cultural Competence in Healthcare: Bridging Theory and Practice*. New York, NY: Academic Press.

Padela, A. I., & Zaidi, D. (2018). The Islamic tradition and health inequities: A preliminary conceptual model based on a systematic literature review of Muslim health-care disparities. Avicenna Journal of Medicine, 8(1), 1-13. https://doi.org/10.4103/ajm.AJM_134_17

Patel, S., Gomez, E., & Kim, J. (2022). *Diversity Sensitive Care: A Paradigm Shift*. Chicago, IL: Health Professions Press.

Paternotte, E., Scheele, F., Seeleman, C. M., Bank, L., Scherpbier, A. J., & van Dulmen, S. (2016), "Intercultural doctor-patient communication in daily outpatient care: relevant communication skills," Perspectives on medical education, 5(5): 268–275.

Platonova, A. & Urso, G. (2013), "Asian Immigration to the European Union, United States and Canada: An Initial Comparison," Journal of Global Policy and Governance, 1:143-156

Shirazi, M., Ponzer, S., Zarghi, N., Keshmiri, F., Karbasi Motlagh, M., Khorasani Zavareh, D., & Khankeh, H. R. (2020). Inter-cultural and cross-cultural communication through physicians' lens: Perceptions and experiences. International Journal of Medical Education, 11, 158-168. https://doi.org/10.5116/ijme.5f19.5749

Smith, J., & Rodriguez, A. (2020). *Patient-Centered Care and Its Limitations*. Los Angeles, CA: Sage Publications.

Wachtler, C., Brorsson, A., & Troein, M. (2006). Meeting and treating cultural difference in primary care: A qualitative interview study. Family Practice, 23(1), 111-115. https://doi.org/10.1093/fampra/cmi086

Wasserman, M., Renfrew, M. R., Green, A. R., Lopez, L., Tan-McGrory, A., Brach, C., & Betancourt, J. R. (2014), "Identifying and preventing medical errors in patients with limited English proficiency: Key findings and tools for the field," Journal for Healthcare Quality, 36(3): 5-16

Zeh, P., Sandhu, H. K., Cannaby, A. M., & Sturt, J. A. (2012). The impact of culturally competent diabetes care interventions for improving diabetes-related outcomes in ethnic minority groups: A systematic review. Diabetic Medicine, 29(10), 1237-1252. https://doi.org/10.1111/j.1464-5491.2012.03701.x

Epstein, R. M., & Street, R. L. (2011). The values and value of patient-centered care. Annals of Family Medicine, 9(2), 100-103. https://doi.org/10.1370/afm.1239

Institute of Medicine (US). (2001). Crossing the Quality Chasm: A New Health System for the 21st Century. National Academies Press. https://www.nap.edu/read/10027/chapter/1

Betancourt, J. R., Green, A. R., Carrillo, J. E., & Ananeh-Firempong, O. (2016). Defining cultural competence: A practical framework for addressing racial/ethnic disparities in health and healthcare. Public Health Reports, 118(4), 293-302. https://doi.org/10.1093/phr/118.4.293

Beach, M. C., Price, E. G., Gary, T. L., Robinson, K. A., Gozu, A., Palacio, A., ... & Cooper, L. A. (2005). Cultural competence: A systematic review of health care provider educational interventions. Medical Care, 43(4), 356-373. https://doi.org/10.1097/01.mlr.0000156861.58905.96